



# EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.



**Certificate N°** 0075/3039/162/11/21/2045

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :** AGE OF GLORY  
75 RUE JOSEPH MOULIN 69290 CRAPONNE  
FRANCE


## Description

**PPE Type :** Protective motorcycle's glove  
**Product reference :** HERO GLOVES  
**Article code :** WHITE-CAMEL / BLACK-SAND / BLUE-WHITE-RED  
**Glove description :** Mid season leather glove  
**Available sizes :** S to XXL

**Pictures :**



Marking  
label  
folded



HERO  
BLACK  
SAND  
HERO GLOVES  
BLACK SAND  
00206HERBLNSAN  
01/2022 - LOT 202201A

HERO  
WHITE  
CAMEL  
HERO GLOVES  
WHITE CAMEL  
00206HERWHITCML  
01/2022 - LOT 202201A

HERO  
BLUE  
WHITE RED  
HERO GLOVES  
BLUE WHITE RED  
00206HERBLUWHRD  
01/2022 - LOT 202201A

Size  
label

M

**Reference standard :**

**EN ISO 21420 : 2020**

**Levels of performance**

-


**EN 13594:2015**

**Level 1**

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from November 2021. User notice V01 dated from 15/11/2021.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

**Issued in Lyon by**   
**Didier GUISADO**  
**Certification Manager**

**Date of first issue :** 26 November 2021  
**End of validity date :** 26 November 2026



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594  
Scope available on:  
[www.cofrac.fr](http://www.cofrac.fr)



[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Lyon 04 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Compagnie Professionnelle de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie  
Lyon 04 72 76 10 10 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

## AGE OF GLORY

# MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

|                          |   |  |
|--------------------------|---|--|
| Reference of the product | : | HERO GLOVES                                  |
| Article code             | : | WHITE-CAMEL / BLACK-SAND<br>/ BLUE-WHITE-RED |
| Technical file index     | : | 01   |
| Last update              | : | November 2021                                |

## IDENTIFICATION

|                            |   |                            |
|----------------------------|---|----------------------------|
| Reference of the product : | : | HERO GLOVES                |
| Article code :             | : | WHITE-CAMEL / BLACK-SAND / |
| Technical file index :     | : | BLUE-WHITE-RED             |
| Last update :              | : | 01                         |
|                            |   | November 2021              |

### **Manufacturer :**

AGE OF GLORY  
75 RUE JOSEPH MOULIN 69290 CRAPONNE  
FRANCE  
tel : 0603466187

### **Factory :**

LEATHER DEAL  
CAPITAL ROAD 51310 SIALKOT  
PAKISTAN  
tel: '+92 331 9615000

## GLOVE DESCRIPTION

### General glove description :

Mid season leather glove

### Visual description (picture back and palm sides) :



| Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation) |  |                                     |  |
|--|--|-------------------------------------|--|
|  |  | Applicable                          | Covered by   |
| §1   | Requirements defined in the Annex II §1 are applicable to all PPE  | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input checked="" type="checkbox"/> Marking |
| §1.4   | Manufacturer's instructions and information is available   | <input checked="" type="checkbox"/> | <input type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input type="checkbox"/> Marking                       |
| §2.1   | PPE incorporating adjustments systems  | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input checked="" type="checkbox"/> Marking |
| §2.2   | PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.   | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input type="checkbox"/> Marking            |
| §2.4   | If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.   | <input checked="" type="checkbox"/> | <input type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input checked="" type="checkbox"/> Marking            |
| §2.4   | Where appreciable and rapid deterioration in PPE performance is likely to be caused by ageing resulting from the periodic use of a cleaning process recommended by the manufacturer, the latter must, if possible, affix a marking to each item of PPE placed on the market indicating the maximum number of cleaning operations that may be carried out before the equipment needs to be inspected or discarded. Where such a marking is not affixed, the manufacturer must give that information in his instructions | <input checked="" type="checkbox"/> | <input type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input checked="" type="checkbox"/> Marking            |
| §2.5   | PPE which may be caught up during use  | <input checked="" type="checkbox"/> | <input type="checkbox"/> Standard<br><input type="checkbox"/> Instruction for use<br><input type="checkbox"/> Marking                                  |
| §2.12  | PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety   | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input checked="" type="checkbox"/> Marking |
| §2.14  | Multi-risk PPE   | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input checked="" type="checkbox"/> Marking |
| §3.1.1   | The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle  | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input checked="" type="checkbox"/> Marking |
| §3.3   | The PPE is intended to protect against mechanical injuries   | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input checked="" type="checkbox"/> Marking |
| Specific application   | Motorcycle glove   | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard<br><input checked="" type="checkbox"/> Instruction for use<br><input checked="" type="checkbox"/> Marking |

## Glove constitution :

|         | Reference | Color | Material (composition) | Surfacic mass (g/m <sup>2</sup> ) | Gauges | Thickness |
|---------|-----------|-------|------------------------|-----------------------------------|--------|-----------|
| Palm    | P1P       | WHITE | cow perf. Leather      |                                   |        | 0.8-0.9mm |
|         | P1P       | BLUE  | cow perf. Leather      |                                   |        | 0.8-0.9mm |
|         | P1P       | BLACK | cow perf. Leather      |                                   |        | 0.8-0.9mm |
|         | P1        | WHITE | cow leather            |                                   |        | 0.8-0.9mm |
|         | P1        | CAMEL | cow leather            |                                   |        | 0.8-0.9mm |
|         | RUB1      | GREY  | EVA                    |                                   |        |           |
| Back    | P1        | WHITE | cow leather            |                                   |        | 0.8-0.9mm |
|         | P1        | CAMEL | cow leather            |                                   |        | 0.8-0.9mm |
|         | P1        | BLACK | cow leather            |                                   |        | 0.8-0.9mm |
|         | P1        | SAND  | cow leather            |                                   |        | 0.8-0.9mm |
|         | P1        | BLUE  | cow leather            |                                   |        | 0.8-0.9mm |
|         | P1        | RED   | cow leather            |                                   |        | 0.8-0.9mm |
| Cuff    | P2        | BLACK | Polyester lycra        |                                   |        |           |
|         | V1        | WHITE | Polyester velcro       |                                   |        |           |
|         | V1        | BLUE  | Polyester velcro       |                                   |        |           |
|         | V1        | BLACK | Polyester velcro       |                                   |        |           |
| Lining  | PLY1      | BLACK | polyester              |                                   |        | 250gr/m2  |
| Binding | E1        | BLACK | Elastic polyester      |                                   |        |           |

## PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for motorcycle

It is a category II product.

## GENERAL REQUIREMENTS

### Standard EN ISO 21420 : 2020

Available Size S to XXL

A different hand sizing system from the one defined in EN ISO 21420 Annex B table B.1 is used:

| Hand size | Hand circumference (mm) | Hand length (mm) |
|-----------|-------------------------|------------------|
| S         | 21                      | 19,5             |
| M         | 22                      | 20               |
| L         | 24                      | 20,5             |
| XL        | 25                      | 21               |
| XXL       | 26                      | 21,5             |

## SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

### Motorcycle gloves EN 13594 : 2015

| Protection offered | Performance levels |
|--------------------|--------------------|
| Level              | Level 1            |
| Knuckle Protection |                    |


## TEST REPORTS

|                              | CTC  | Other |
|------------------------------|--|-------|
| EN ISO 21420 + innocuousness | L180508855_1 / L210815926_1 /<br>L210815940_1 / L211018425_1 /<br>L210917089_1 |       |
| EN 13594                     | L180508857_1 / L180816557-1 /<br>L18508852_1 / L210815933_1                    |       |

## MARKING - PACKAGING

### Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : HERO GLOVES

Article Code : WHITE-CAMEL / BLACK-SAND / BLUE-WHITE-RED

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram


Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :


### Marking example :

#### Marquage commun

#### Marquage / Modèle



### Marking of packaging example :





## **Method of marking on the glove :**

stitched inside the gloves


## **Packaging :**

cardboard packaging

## **PPE subject to ageing :**

Peremption period : After 5 years of use, it's preferable to change your gloves after the first use when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

## **MEANS OF CONTROL**



\* Physical tests: leather density and thickness tests and tear strength tests according to EN ISO 3377-1:2011.  
Chemical tests (Pb - ISO 4045 / Chrome 6 - ISO 17075 / Azo - ISO 17234).  
We proceed to these tests for each production process, once leather is sourced and before the cutting process.