EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° **0075/3039/162/09/21/1510**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **AGE OF GLORY**
125 RUE DE PONTERLE 69290 CRAPONNE
FRANCE

Description

PPE Type : ***Protective garments for motorcycle riders: class of protection AA***

Product reference : **ROCKER JACKET**

Article code : **BLACK-00102ROCBLK**

Available sizes : **S to XXL**

Pictures :

Reference standard :	Levels of performance / class of protection
EN ISO 13688:2013	**-**
EN 17092-3:2020	**CLASS AA GARMENT**

At the date of the certificate, the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from September 2021 and the user notice JKTLEA01 - 31082021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISADO
Certification and Quality Manager

Date of first issue : 09 September 2021
End of validity date : 09 September 2026

CE MARKING DEPARTMENT CTC NB 0075 EU-Type Examination Certificate

CE MARKING CTC NOTIFIED BODY n° 0075 by CTC

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

cofrac CERTIFICATION DE PRODUITS ET SERVICES
Accreditation n# 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com
cemarking@ctcgroupe.com
CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com
Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

AGE OF GLORY

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	**ROCKER JACKET**
Article code	:	**BLACK-00102ROCBLK**
Technical file index	:	**01**
Last update	:	**September 2021**

IDENTIFICATION

Reference of the product	:	ROCKER JACKET
Article code	:	BLACK-00102ROCBLK
This product is a Technical file index :	:	01
Last update :	:	September 2021

Manufacturer:

AGE OF GLORY
125 RUE DE PONTERLE 69290 CRAPONNE
FRANCE
tel : +33603466187

Factories:

LEATHER DEAL
CAPITAL ROAD 51310 SIALKOT
PAKISTAN
tel: +923319615000

GARMENT DESCRIPTION

General description and intended use:

This product is a JACKET and it is a of the model .

This garment is a caterogy II PPE.

This garment is designed for motorcycle riders. It offers protection from impact and abrasion, using materials and construction that meet higher requirements than for garments covered by part 4 of this standard series and lower requirements than for garments covered by part 2 of the EN 17092 series. Class AA garments generally offer protection, against the risks of the greatest diversity of riding activities, and they may have lower ergonomic and weight penalties than Class AAA garments.

Visual description of the garment :

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	☑	☑ Standard ☐ Instruction for use ☑ Marking
§1.4	Manufacturer's instructions and information is available	☑	☑ Standard ☑ Instruction for use ☐ Marking
§2.1	PPE incorporating adjustements systems	☑	☑ Standard ☑ Instruction for use ☑ Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	☑	☑ Standard ☑ Instruction for use ☐ Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	☑	☐ Standard ☑ Instruction for use ☑ Marking
§2.4	Where appreciable and rapid deterioration in PPE performance is likely to be caused by ageing resulting from the periodic use of a cleaning process recommended by the manufacturer, the latter must, if possible, affix a marking to each item of PPE placed on the market indicating the maximum number of cleaning operations that may be carried out before the equipment needs to be inspected or discarded. Where such a marking is not affixed, the manufacturer must give that information in his instructions	☑	☐ Standard ☑ Instruction for use ☑ Marking
§2.5	PPE which may be caught up during use	☑	☐ Standard ☑ Instruction for use ☐ Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	☑	☐ Standard ☑ Instruction for use ☐ Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	☑	☑ Standard ☑ Instruction for use ☑ Marking
§2.14	Multi-risk PPE	☑	☑ Standard ☑ Instruction for use ☑ Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	☑	☑ Standard ☑ Instruction for use ☑ Marking
§3.3	The PPE is intended to protect against mechanical injuries	☑	☑ Standard ☑ Instruction for use ☑ Marking
Specific application	Motorcycle garment	☑	☑ Standard ☑ Instruction for use ☑ Marking

Garment constitution

	Material reference	Material description	Color	Basis weight or thickness	Present in zone?		
					Z1	Z2	Z3
Outer material	P1	COWHIDE LEATHER	BLACK		x	x	x
Lining	L1	SATIN	BLUE				
Pocket	L2	COTTON	BLACK				
Button	B1	METAL	SILVER				
Zip	B1	METAL	SILVER				

Material combinations

	Material reference	Combination present in zone?		
		Zone 1	Zone 2	Zone 3
Material combination	P1	x	x	X

Description of the seams

		Reference	Seam type	Zone 1	Zone 2	Zone 3	Protector pocket
Seam 1	Material 1	P1	3		X	X	
	Material 2	P1					
Seam 2	Material 1	P1	3	X			
	Material 2	P1					
Seam 3	Material 1	P1	3		X	X	
	Material 2	P1					
Seam 4	Material 1	L1	4				X
	Material 2	L1					

(Types of seam)

erent se
the line.

S1 PINK

S2 BLUE

S3 GREEN

PROTECTION SCOPE

This garment meets the essential health and safety requirements of the Personal Protective Equipment Regulation (UE) 2016/425.
It is a category II product.
This garment is designed for motorcycle riders. It offers protection from impact and abrasion, using materials and construction that meet higher requirements than for garments covered by part 4 of this standard series and lower requirements than for garments covered by part 2 of the EN 17092 series. Class AA garments generally offer protection, against the risks of the greatest diversity of riding activities, and they may have lower ergonomic and weight penalties than Class AAA garments.

GENERAL REQUIREMENTS

Range of size

Size	S	M	L	XL	XXL			
Heigh (cm)	166 – 171	170 – 175	176 – 181	180 – 185	184 – 189			
Chest or bust girth (cm)	90 – 96	97 – 103	104 – 110	111 – 117	116 – 121			

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Standard EN 17092-3:2020

			Zone 1	Zone 2	Zone 3
Dimensional stability of the garment (N/A if no cleaning required)		%	± 5		
Impact protector location and fixation		over the correct location on the body, secured within the pockets and secured in their position.			
External impact protector location and fixation		pocket shall meet the requirements of the appropriate zone. Protector shall not be released			
Impact abrasion	Darmstadt / no hole on the 9 test pieces	rpm	412	265	147
Seam strength	by zone	N/mm	≥8	≥8	≥6
	protector pocket	N/mm	≥4		
Seam construction	general	-	at least one line protected		
	leather or textile abrasion overlays	-	at least 2 rows of stitching		
	hard shell overlays	-	at least 2 rows of stitching		
Tear strength	by zone	N	≥40	≥40	≥30
	protector pocket	N	≥10		
Restraint	Two pieces suits	no gap and no opening			
	sleeve	no extraction of the cone			
	Thumb loops distance A-B	mm	max 140		
Innocuousness	EN ISO 13688:2013 § 4.2 + REACh	pH, Cr VI (leather), Ni (metal in contact with skin), Azo dyes (if contact with skin), Tin, Cadmium (coated material), PAH (plastic in contact with skin), phtalates (polymers in contact with skin)			
Structural closure	same test as seams	N/mm	≥8	≥8	≥6
Vents		protected by same SSL or by SSL zone 3 if opening limited to 4cm at 90° of the length			
Pockets		protected by same SSL extended along the interior of the pocket beyond the opening at least an additional 3 cm			
Fit and ergonomics		EN 17092-1, 5.5 : all answers positive			

TEST REPORTS

1	CTC L201221162-1
2	CTC L201221170-3
3	CTC L210815628_2
4	CTC L201221152_1
5	SATRA 2777/13540-01/E00-00
6	SATRA 2777/13541-01/E00-00
7	SATRA 2777/13543-01/E00-00

		Reports
4.1.1 Innocuousness and REACh - Annex XVII		1
4.1.3 Dimensional stability of garments	Washing Température : n.a Number of washing cycles : n.a	2
4.2 - Impact Energy Absorption		
4.2.1 General		2+5+6+7
4.2.2 Impact protector location and fixation		2+5+6+7
4.3 Impact abrasion resistance		3
4.4 - Structurally Strong Seams (SSS)		
4.4.1 - General		2
4.4.2 Seam strength		4
4.5 - Tear strength		
4.5 Tear strength		2
4.6- Restraint		
4.6.1 - General		2
4.6.2 Two-piece suit requirements for joint between the upper and the lower part		n.a
4.6.3 Garment sleeve restraint		2
4.7- Additional garment construction requirements		
4.7.2 - Structural closures		2
4.7.3 - Vents		n.a
4.7.4 - Pockets		2
4.7.5 - Zone intrusions		n.a
4.7.7 - Use of open mesh materials		n.a
4.7.8 - Use of retroreflective materials (optional)	Performance of the retroreflective materials shall be in conformity with Clause 6 of EN 1150:1999. This requirement does not apply to reflective elements included for reasons of design or decoration.	n.a
4.8 Fit and ergonomics		2

MARKING - PACKAGING

Marking of the garment:

Logo of Manufacturer
Address of Manufacturer
Logo CE
Product reference: ROCKER JACKET
Article Code: BLACK-00102ROCBLK
Size indicator
Pictograms
Indication of the protection Class AA
Date of Manufacture (month/year) and/or serial/batch number
Date of obsolescence (month/year) if applicable

Location of the marking: INSIDE THE JACKET ON THE FIXED LINING

Garment marking example:

Method of marking of the garment:

INSIDE LABELS

PPE subject to ageing :

Peremption period: 5 YEARS when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the garment shall be visually controlled. In case of deterioration the garment must be scrapped (abrasion, cut, tear, …).

Cleaning instructions:

The garment is not washable

MEANS OF CONTROL

* Physical tests: leather density and thickness tests and tear strength tests according to EN ISO 3377-1:2011.
Chemical tests (Ph - ISO 4045 / Chrome 6 - ISO 17075 / Azo - ISO 17234).
We proceed to these tests for each production process, once leather is sourced and before the cutting process.