



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/3039/162/02/23/0329

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : AGE OF GLORY
125 RUE DE PONTERLE 69290 CRAPONNE
FRANCE

Description



PPE Type : Protective garments for motorcycle riders: class of protection AAA

Product reference : DESERT PANT

Article code : BLACK-00601DESCEBLK / SAND-00601DESCESAN / OFF-WHITE-00601DESCEWHT / DENIM-00601DESCEDEN

Available sizes : 28-38

Pictures :



Reference standard :

Levels of performance / class of protection

EN ISO 13688:2013

-

EN 17092-2:2020

CLASS AAA GARMENT

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from FEBRUARY 2023 and in the user instruction DESPNT01 - 15112022.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISADO

Date of first issue : 03 March 2023
End of validity date : 03 March 2028

Certification and Quality Manager



www.ctcgroupe.com

cemarking@ctcgroupe.com

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr



CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

AGE OF GLORY

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	DESERT PANT
Article code	:	BLACK-00601DESCEBLK / SAND- 00601DESCESAN / OFF-WHITE- 00601DESCEWHT / DENIM- 00601DESCEDEN
Technical file index	:	01
Last update	:	FEBRUARY 2023

IDENTIFICATION

Reference of the product	:	DESERT PANT
Article code	:	BLACK-00601DESCEBLK / SAND-00601DESCESAN / OFF-WHITE-00601DESCEWHT / DENIM- 00601DESCEDEN
This product is a		Basic Model
Technical file index :	:	01
Last update :	:	FEBRUARY 2023

Manufacturer:

AGE OF GLORY

125 RUE DE PONTERLE 69290 CRAPONNE

FRANCE

tel : +33603466187

Factories:

LEATHER DEAL

CAPITAL ROAD 51310 SIALKOT

PAKISTAN

tel: +923319615000

GARMENT DESCRIPTION

General description and intended use:

This product is a PANT and it is a basic model.

This garment is a category II PPE.

This garment is designed for motorcycle riders. It offers protection from impact and abrasion, using materials and construction that meet higher requirements than for garments covered by parts 3, and 4 of the EN 17092 series. Class AAA garments may have limiting ergonomic, weight and thermal penalties for some riding activities.

Visual description of the garment :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.1	PPE incorporating adjustments systems	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.4	Where appreciable and rapid deterioration in PPE performance is likely to be caused by ageing resulting from the periodic use of a cleaning process recommended by the manufacturer, the latter must, if possible, affix a marking to each item of PPE placed on the market indicating the maximum number of cleaning operations that may be carried out before the equipment needs to be inspected or discarded. Where such a marking is not affixed, the manufacturer must give that information in his instructions	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
Specific application	Motorcycle garment	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Garment constitution

	Material reference	Material description	Color	Basis weight or thickness	Present in zone?		
					Z1	Z2	Z3
Outer material	DNM1	COTTON CANVAS	BLACK	350 gsm	x	x	x
	DNM1	COTTON CANVAS	SAND	350 gsm	x	x	x
	DNM1	COTTON CANVAS	OFF-WHITE	350 gsm	x	x	x
	DNM1	COTTON CANVAS	DENIM	350 gsm	x	x	x
	P1	cow leather	Black	0.8 - 1mm			
	P1	cow leather	camel	0.8 - 1mm			
	P1	cow leather	brown	0.8 - 1mm			
	CLBL1	cow leather	black & brown	0.8 - 1mm			
Lining	K30 (fournisseur Escorts Advanced Textiles)	Kevlar	YELLOW	320gsm	x	x	
	MSH1	Mesh polyester	black	90 gsm	x	x	x
	FOA	PU	grey	10mm			
	P2	polyester lycra	black	250 gsm			
Pocket	L2	COTTON	BLACK	90 gsm			
Protector	L2	COTTON	BLACK	90 gsm			
Button	B1	METAL	ANTIQUÉ GOLD				
Zip	Z1	METAL	ANTIQUÉ GOLD				



Material combinations

	Material reference	Combination present in zone?		
		Zone 1	Zone 2	Zone 3
Material combination 1	DNM1 + L2 + K30 + MSH1	x	x	
Material combination 2	DNM1			X

Description of the seams

		Reference	Seam type	Zone 1	Zone 2	Zone 3	Protector pocket
Seam 1	Material 1	DNM1	5	x	x	x	
	Material 2	DNM1					
Seam 2	Material 1	DNM1	2			x	
	Material 2	DNM1					
Seam 3	Material 1	DNM1	3		x		
	Material 2	DNM1					
Seam 4	Material 1	L2					X
	Material 2	MSH1					
Seam 5	Material 1	L1					X
	Material 2	MSH1					

(Types of seam)







S1 PINK



S2 BLUE



S3 GREEN



PROTECTION SCOPE

This garment meets the essential health and safety requirements of the Personal Protective Equipment Regulation (UE) 2016/425.

It is a category II product.

This garment is designed for motorcycle riders. It offers protection from impact and abrasion, using materials and construction that meet higher requirements than for garments covered by parts 3, and 4 of the EN 17092 series. Class AAA garments may have limiting ergonomic, weight and thermal penalties for some riding activities.

GENERAL REQUIREMENTS

Range of size

Size	28	30	32	34	36	38
Heigh (cm)	166 – 170	170 – 174	174 - 178	178 - 182	183 - 187	188 - 192
Waist girth (cm)	81 - 84	85 - 88	89 - 93	93 - 96	97 - 100	101 - 105

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Standard EN 17092-2:2020

			Zone 1	Zone 2	Zone 3
Dimensional stability of the garment (N/A if no cleaning required)		%	± 5		
Impact protector location and fixation		over the correct location on the body, secured within the pockets and secured in their position.			
External impact protector location and fixation		pocket shall meet the requirements of the appropriate zone. Protector shall not be released during testing.			
Impact abrasion	Darmstadt / no hole on the 9 test pieces	rpm	707	442	265
Seam strength	by zone	N/mm	≥12	≥12	≥8
	protector pocket	N/mm	4		
Seam construction	general	-	at least one line protected		
	leather or textile abrasion overlays	-	at least 2 rows of stitching		
	hard shell overlays	-	at least 2 rows of stitching		
Tear strength	by zone	N	≥50	≥50	≥35
	protector pocket	N	≥10		
Restraint	Two pieces suits	no gap and no opening			
	sleeve	no extraction of the cone			
	Thumb loops distance A-B	mm	max 140		
Innocuousness	EN ISO 13688:2013 § 4.2 + REACh	pH, Cr VI (leather), Ni (metal in contact with skin), Azo dyes (if contact with skin), Tin, Cadmium (coated material), PAH (plastic in contact with skin), phtalates (polymers in contact with skin)			
Structural closure	same test as seams	N/mm	≥12	≥12	≥8
Vents		protected by same SSL or by SSL zone 3 if opening limited to 4cm at 90° of the length			
Pockets		protected by same SSL extended along the interior of the pocket beyond the opening at least an additional 3 cm			
Fit and ergonomics		EN 17092-1, 5.5 : all answers positive			

TEST REPORTS

1	Ricotest 912222801/OE protecteur Knee FB 516	8	L201221162_1
2	Ricotest 912220501/OE protecteur Hip FB 518	9	L180508855_1
3	OEKOTEX 4340CIT	10	L221223215_1
4	L210815926_1	11	L220814433_1
5	L230100756_1	12	L201221152_1
6	L220916785_1	13	L230202184_1
7	L221223196_1		

		Reports
4.1 - General		
4.1.1 Innocuousness and REACH - Annex XVII		3+4+7+8+9
4.1.3 Dimensional stability of garments	Washing Température : Number of washing cycles :	n.a
4.2 - Impact Energy Absorption		
4.2.1 General		1+2+10
4.2.2 Impact protector location and fixation		1+2+10
4.3 Impact abrasion resistance		6
4.4 - Structurally Strong Seams (SSS)		
4.4.1 - General		10
4.4.2 Seam strength		5+10
4.5 - Tear strength		
4.5 Tear strength		11+12+13
4.6- Restraint		
4.6.1 - General		n.a
4.6.2 Two-piece suit requirements for joint between the upper and the lower part		n.a
4.6.3 Garment sleeve restraint		n.a
4.7- Additional garment construction requirements		
4.7.2 - Structural closures		10
4.7.3 - Vents		n.a
4.7.4 - Pockets		10
4.7.5 - Zone intrusions		n.a
4.7.7 - Use of open mesh materials		n.a
4.7.8 - Use of retroreflective materials (optional)	Performance of the retroreflective materials shall be in conformity with Clause 6 of EN 1150:1999. This requirement does not apply to reflective elements included for reasons of design or decoration.	n.a
4.8 Fit and ergonomics		10

MARKING - PACKAGING

Marking of the garment:

Logo of Manufacturer

Address of Manufacturer

Logo



Product reference:

DESERT PANT

Article Code:

BLACK-00601DESCEBLK / SAND-00601DESCESAN / OFF-WHITE-00601DESCEWHT / DENIM-00601DESCEDEN

Size indicator

Pictograms

Indication of the protection Class AAA


Date of Manufacture (month/year) and/or serial/batch number

Date of obsolescence (month/year) if applicable

Location of the marking:

INSIDE THE JACKET ON THE FIXED LINING

Garment marking example:



Method of marking of the garment:

INSIDE LABELS


PPE subject to ageing :

Peremption period: 5 YEARS when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the garment shall be visually controlled. In case of deterioration the garment must be scrapped (abrasion, cut, tear, ...).

Cleaning instructions:

The garment is not washable

MEANS OF CONTROL



* Physical tests: leather density and thickness tests and tear strength tests according to EN ISO 3377-1:2011.
 Chemical tests (Ph - ISO 4045 / Chrome 6 - ISO 17075 / Azo - ISO 17234).
 We proceed to these tests for each production process, once leather is sourced and before the cutting process.