



EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.



Certificate N° 0075/3039/162/12/22/2316

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : AGE OF GLORY
125 RUE DE PONTERLE 69290 CRAPONNE
FRANCE

Description


PPE Type : *Protective garments for motorcycle riders: class of protection AAA*

Product reference : MISSION JACKET

Article code : BLACK-00103MISSBLK / BROWN-00103MISSBRW

Available sizes : S-XXL

Pictures :



**MISSION JACKET
WAXED COTTON - BROWN
00103MISSBRW**

Extérieur - Outside 100% Cotton - cotton
Doublure - Lining 100% Satin

Age of Glory
75 rue Joseph Moulin
69290 Craponne France

ageofglorygarments.com

LOT: 2209A
MADE IN PAKISTAN

**MISSION JACKET
WAXED COTTON - BLACK
00103MISSBLK**

Extérieur - Outside 100% Cotton - cotton
Doublure - Lining 100% Satin

Age of Glory
75 rue Joseph Moulin
69290 Craponne France

ageofglorygarments.com

LOT: 2209A
MADE IN PAKISTAN



Reference standard :

Levels of performance / class of protection

EN ISO 13688:2013

-

EN 17092-2:2020

CLASS AAA GARMENT

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from DECEMBER 2022 and in the user notice JKTXT01 - 15112022

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISADO
Certification and Quality Manager

Date of first issue : 30 December 2022
End of validity date : 30 December 2027



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

AGE OF GLORY

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	MISSION JACKET
Article code	:	BLACK-00103MISSBLK / BROWN-00103MISSBRW
Technical file index	:	01
Last update	:	DECEMBER 2022

IDENTIFICATION

Reference of the product	:	MISSION JACKET
Article code	:	BLACK-00103MISSBLK / BROWN-00103MISSBRW
This product is a	:	Basic Model
Technical file index :	:	01
Last update :	:	DECEMBER 2022

Manufacturer:

AGE OF GLORY

125 RUE DE PONTERLE 69290 CRAPONNE

FRANCE

tel : +33603466187

Factories:

LEATHER DEAL

CAPITAL ROAD 51310 SIALKOT

PAKISTAN

tel: +923319615000

GARMENT DESCRIPTION

General description and intended use:

This product is a JACKET and it is a basic model.

This garment is a category II PPE.

This garment is designed for motorcycle riders. It offers protection from impact and abrasion, using materials and construction that meet higher requirements than for garments covered by parts 3, and 4 of the EN 17092 series. Class AAA garments may have limiting ergonomic, weight and thermal penalties for some riding activities.

Visual description of the garment :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.1	PPE incorporating adjustments systems	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.4	Where appreciable and rapid deterioration in PPE performance is likely to be caused by ageing resulting from the periodic use of a cleaning process recommended by the manufacturer, the latter must, if possible, affix a marking to each item of PPE placed on the market indicating the maximum number of cleaning operations that may be carried out before the equipment needs to be inspected or discarded. Where such a marking is not affixed, the manufacturer must give that information in his instructions	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
Specific application	Motorcycle garment	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Garment constitution

	Material reference	Material description	Color	Basis weight or thickness	Present in zone?		
					Z1	Z2	Z3
Outer material	WC2	WAXED COTTON	BLACK		X	X	X
	WC2	WAXED COTTON	BROWN		X	X	X
Lining	L1	SATIN	BLUE		X	X	X
	K30 (fournisseur Escorts Advanced Textiles)	Kevlar	yellow		X		
	M1	PU	black				
Removable lining	L1	SATIN	BLUE		X	X	X
	E1	polyester	black				
	P2	polyester	black				
Pocket	L2	COTTON	BLACK				
	P1	COW LEATHER	BLACK				
	P1	COW LEATHER	BROWN				
	M2	Polyester	black				
Collar	P1	COW LEATHER	BLACK & BROWN				
	CY1	corduroy	BLACK				
	R1	METAL	ANTIQUÉ GOLD				
Button	B1	METAL	ANTIQUÉ GOLD				
Zip	Z1	METAL	ANTIQUÉ GOLD				


Material combinations

	Material reference	Combination present in zone?		
		Zone 1	Zone 2	Zone 3
Material combination 1	WC2		x	X
Material combination 2	WC2 + K30	x		


Description of the seams

		Reference	Seam type	Zone 1	Zone 2	Zone 3	Protector pocket
Seam 1	Material 1	WC2	3		X	X	
	Material 2	WC2					
Seam 2	Material 1	WC2	5	X			
	Material 2	WC2					
Seam 3	Material 1	L1	4				X
	Material 2	L1					


(Types of seam)



S1 ————— PINK



S2 ————— BLUE



PROTECTION SCOPE

This garment meets the essential health and safety requirements of the Personal Protective Equipment Regulation (UE) 2016/425.

It is a category II product.

This garment is designed for motorcycle riders. It offers protection from impact and abrasion, using materials and construction that meet higher requirements than for garments covered by parts 3, and 4 of the EN 17092 series. Class AAA garments may have limiting ergonomic, weight and thermal penalties for some riding activities.

GENERAL REQUIREMENTS

Range of size

Size	S	M	L	XL	XXL
Height (cm)	166 – 171	170 – 175	176 – 181	180 – 185	184 – 189
Chest or bust girth (cm)	90 – 96	97 – 103	104 – 110	111 – 117	116 – 121

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Standard EN 17092-2:2020

		Zone 1	Zone 2	Zone 3		
Dimensional stability of the garment (N/A if no cleaning required)		%	± 5			
Impact protector location and fixation		over the correct location on the body, secured within the pockets and secured in their position.				
External impact protector location and fixation		pocket shall meet the requirements of the appropriate zone. Protector shall not be released during testing.				
Impact abrasion	Darmstadt / no hole on the 9 test pieces	rpm	707	442	265	
Seam strength	by zone	N/mm	≥12	≥12	≥8	
	protector pocket	N/mm	4			
Seam construction	general	-	at least one line protected			
	leather or textile abrasion overlays	-	at least 2 rows of stitching			
	hard shell overlays	-	at least 2 rows of stitching			
Tear strength	by zone	N	≥50	≥50	≥35	
	protector pocket	N	≥10			
Restraint	Two pieces suits	no gap and no opening				
	sleeve	no extraction of the cone				
	Thumb loops distance A-B	mm	max 140			
Innocuousness	EN ISO 13688:2013 § 4.2 + REACh	pH, Cr VI (leather), Ni (metal in contact with skin), Azo dyes (if contact with skin), Tin, Cadmium (coated material), PAH (plastic in contact with skin), phthalates (polymers in contact with skin)				
Structural closure	same test as seams	N/mm	≥12	≥12	≥8	
Vents		protected by same SSL or by SSL zone 3 if opening limited to 4cm at 90° of the length				
Pockets		protected by same SSL extended along the interior of the pocket beyond the opening at least an additional 3 cm				
Fit and ergonomics		EN 17092-1, 5.5 : all answers positive				

TEST REPORTS

1	SATRA 2777/13542-01/E00-00 protecteur dos	8	L221223017_1
2	Ricotest 912211502/OE protecteur coude	9	L220814433_1
3	Ricotest 912222801/OE protecteur epaule	10	L201221162_1
4	L221018989_1	11	L210815926_1
5	L201221152_1	12	L210917089_1
6	L220815246_1	13	OEKOTEX 4340CIT
7	L221121579_1	14	L221121582_1


		Reports
4.1 - General		
4.1.1 Innocuousness and REACH - Annex XVII		10+11+12+13+14
4.1.3 Dimensional stability of garments	Washing Température : Number of washing cycles :	n.a
4.2 - Impact Energy Absorption		
4.2.1 General		1+2+3+7
4.2.2 Impact protector location and fixation		1+2+3+7
4.3 Impact abrasion resistance		4+6
4.4 - Structurally Strong Seams (SSS)		
4.4.1 - General		4+6
4.4.2 Seam strength		5+7
4.5 - Tear strength		
4.5 Tear strength		5+9
4.6- Restraint		
4.6.1 - General		n.a
4.6.2 Two-piece suit requirements for joint between the upper and the lower part		n.a
4.6.3 Garment sleeve restraint		7
4.7- Additional garment construction requirements		
4.7.2 - Structural closures		7
4.7.3 - Vents		n.a
4.7.4 - Pockets		7
4.7.5 - Zone intrusions		n.a
4.7.7 - Use of open mesh materials		n.a
4.7.8 - Use of retroreflective materials (optional)	Performance of the retroreflective materials shall be in conformity with Clause 6 of EN 1150:1999. This requirement does not apply to reflective elements included for reasons of design or decoration.	n.a
4.8 Fit and ergonomics		8

MARKING - PACKAGING

Marking of the garment:

Logo of Manufacturer
Address of Manufacturer
Logo
Product reference: MISSION JACKET
Article Code: BLACK-00103MISSBLK / BROWN-00103MISSBRW
Size indicator
Pictograms
Indication of the protection Class AAA
Date of Manufacture (month/year) and/or serial/batch number
Date of obsolescence (month/year) if applicable
Location of the marking: INSIDE THE JACKET ON THE FIXED LINING

Garment marking example:



**MISSION JACKET
WAXED COTTON - BROWN
00103MISSBRW**

Extérieur - Outside Doublure - Lining
100% Coton - cotton 100% Satin

Age of Glory

75 rue Joseph Moulin
69290 Craaponne France

ageofglorygarments.com

LOT: 2209A
MADE IN PAKISTAN

**MISSION JACKET
WAXED COTTON - BLACK
00103MISSBLK**

Extérieur - Outside Doublure - Lining
100% Coton - cotton 100% Satin

Age of Glory

75 rue Joseph Moulin
69290 Craaponne France

ageofglorygarments.com

LOT: 2209A
MADE IN PAKISTAN

Method of marking of the garment:

INSIDE LABELS


PPE subject to ageing :

Peremption period: 5 YEARS when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the garment shall be visually controlled. In case of deterioration the garment must be scrapped (abrasion, cut, tear, ...).

Cleaning instructions:

The garment is not washable

MEANS OF CONTROL



* Physical tests: fabric density and thickness tests and tear strength tests according to EN ISO 3377-1:2011.
 Chemical tests (Ph - ISO 4045 / Chrome 6 - ISO 17075 / Azo - ISO 17234).
 We proceed to these tests for each production process, once leather is sourced and before the cutting process.