



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/3039/162/01/24/0010

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : AGE OF GLORY
125 RUE DE PONTERLE 69290 CRAPONNE
FRANCE

Description

PPE Type : *Protective garments for motorcycle riders: class of protection AA*

Product reference : CRAFTSMAN JACKET

Article code : BLACK-00105CRABLK / CAMEL-00105CRACAR

Available sizes : S to 2XL

Pictures :



**CRAFTSMAN JACKET
BLACK 00105CRABLK**
Extérieur - Outside
55% Coton - cotton
18% Nylon
27% T480
Doublure - Lining
100% Satin
Age of Glory
75 rue Joseph Moulin
69290 Craponne France
ageofglorygarments.com
LOI 2431A
MADE IN PAKISTAN

**CRAFTSMAN JACKET
CAMEL 00105CRACAR**
Extérieur - Outside
55% Coton - cotton
18% Nylon
27% T480
Doublure - Lining
100% Satin
Age of Glory
75 rue Joseph Moulin
69290 Craponne France
ageofglorygarments.com
LOI 2431A
MADE IN PAKISTAN

Reference standard :

Levels of performance / class of protection

EN ISO 13688:2013

-

EN 17092-3:2020

CLASS AA GARMENT

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from January 2024. User notice JKTXT01 - 15112022.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISADO

Certification and Deputy Director



Date of first issue : 11 January 2024
End of validity date : 11 January 2029

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr



www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

AGE OF GLORY

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	CRAFTSMAN JACKET
Article code	:	BLACK-00105CRABLK / CARAMEL-00105CRACAR
Technical file index	:	01
Last update	:	JANUARY 2024

IDENTIFICATION

Reference of the product	:	CRAFTSMAN JACKET
Article code	:	BLACK-00105CRABLK / CAMEL-00105CRACAR
This product is a basic model.		
Technical file index :	:	01
Last update :	:	JANUARY 2024

Manufacturer:

AGE OF GLORY
125 RUE DE PONTERLE 69290 CRAPONNE
FRANCE
tel : +33603466187

Factories:

LEATHER DEAL
CAPITAL ROAD 51310 SIALKOT
PAKISTAN
tel: +923319615000

GARMENT DESCRIPTION

General description and intended use:

This product is a JACKET and it is a Basic Model.

This garment is a category II PPE.

This garment is designed for motorcycle riders. It offers protection from impact and abrasion, using materials and construction that meet higher requirements than for garments covered by part 4 of this standard series and lower requirements than for garments covered by part 2 of the EN 17092 series. Class AA garments generally offer protection, against the risks of the greatest diversity of riding activities, and they may have lower ergonomic and weight penalties than Class AAA garments.

Visual description of the garment :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.1	PPE incorporating adjustments systems	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.4	Where appreciable and rapid deterioration in PPE performance is likely to be caused by ageing resulting from the periodic use of a cleaning process recommended by the manufacturer, the latter must, if possible, affix a marking to each item of PPE placed on the market indicating the maximum number of cleaning operations that may be carried out before the equipment needs to be inspected or discarded. Where such a marking is not affixed, the manufacturer must give that information in his instructions	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
Specific application	Motorcycle garment	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Garment constitution



	Material reference	Material description	Color	Basis weight or thickness	Present in zone?		
					Z1	Z2	Z3
Outer material	HH01	55% Cotton/18%nylon/27% T400	BLACK		x	x	x
	HH01	55% Cotton/18%nylon/27% T400	CARAMEL		x	x	x
	P1	100% cow leather	black				
	P1	100% cow leather	brown				
	ETQ1	100% cotton label	white				
Lining	L1	100% satin	BLUE		x	x	x
	E1	100% Polyester	black				
	ETQ2	100% cotton label	black				
Pocket	L2	100% COTTON fabric	BLACK				
Collar	P1	100% cow leather	brown				
	P1	100% cow leather	black				
Button	B1	METAL snap button	ANTIQUE GOLD				
	B2	Metal button	ANTIQUE GOLD				
	R1	Metal rivets	ANTIQUE GOLD				
	VA1	metal vent areration	ANTIQUE GOLD				
Zip	Z1	METAL zipper	ANTIQUE GOLD				

Material combinations

	Material reference	Combination present in zone?		
		Zone 1	Zone 2	Zone 3
Material combination	HH01 + L1	x	x	X

Description of the seams

		Reference	Seam type	Zone 1	Zone 2	Zone 3	Protector pocket
Seam 1	Material 1	HH01	3	x	X	X	
	Material 2	HH01					
Seam 2	Material 1	HH01	2		X	x	
	Material 2	HH01					
Seam 3	Material 1	L1	4				x
	Material 2	L1					
Seam 4	Material 1	HH01	1			X	
	Material 2	HH01					



PROTECTION SCOPE

This garment meets the essential health and safety requirements of the Personal Protective Equipment Regulation (UE) 2016/425. It is a category II product.

This garment is designed for motorcycle riders. It offers protection from impact and abrasion, using materials and construction that meet higher requirements than for garments covered by part 4 of this standard series and lower requirements than for garments covered by part 2 of the EN 17092 series. Class AA garments generally offer protection, against the risks of the greatest diversity of riding activities, and they may have lower ergonomic and weight penalties than Class AAA garments.

GENERAL REQUIREMENTS

Range of size

Size	S	M	L	XL	XXL
Height (cm)	166 – 171	170 – 175	176 – 181	180 – 185	184 – 189
Chest or bust girth (cm)	90 – 96	97 – 103	104 – 110	111 – 117	116 – 121

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Standard EN 17092-3:2020

			Zone 1	Zone 2	Zone 3
Dimensional stability of the garment (N/A if no cleaning required)		%	± 5		
Impact protector location and fixation		over the correct location on the body, secured within the pockets and secured in their position.			
External impact protector location and fixation		pocket shall meet the requirements of the appropriate zone. Protector shall not be released			
Impact abrasion	Darmstadt / no hole on the 9 test pieces	rpm	412	265	147
Seam strength	by zone	N/mm	≥8	≥8	≥6
	protector pocket	N/mm	≥4		
Seam construction	general	-	at least one line protected		
	leather or textile abrasion overlays	-	at least 2 rows of stitching		
	hard shell overlays	-	at least 2 rows of stitching		
Tear strength	by zone	N	≥40	≥40	≥30
	protector pocket	N	≥10		
Restraint	Two pieces suits	no gap and no opening			
	sleeve	no extraction of the cone			
	Thumb loops distance A-B	mm	max 140		
Innocuousness	EN ISO 13688:2013 § 4.2 + REACH	pH, Cr VI (leather), Ni (metal in contact with skin), Azo dyes (if contact with skin), Tin, Cadmium (coated material), PAH (plastic in contact with skin), phtalates (polymers in contact with skin)			
Structural closure	same test as seams	N/mm	≥8	≥8	≥6
Vents		protected by same SSL or by SSL zone 3 if opening limited to 4cm at 90° of the length			
Pockets		protected by same SSL extended along the interior of the pocket beyond the opening at least an additional 3 cm			
Fit and ergonomics		EN 17092-1, 5.5 : all answers positive			

TEST REPORTS

1	L230713818_1
2	L201221152_1
3	L201221162_1
4	
5	L210917089_1
6	L231122673_1
7	L231122672_1

		Reports
4.1 - General		
4.1.1 Innocuousness and REACH - Annex XVII		6 - 3 - 5 - 2
4.1.3 Dimensional stability of garments	Washing Température : Number of washing cycles :	n.a
4.2 - Impact Energy Absorption		
4.2.1 General		7
4.2.2 Impact protector location and fixation		7
4.3 Impact abrasion resistance		1
4.4 - Structurally Strong Seams (SSS)		
4.4.1 - General		7
4.4.2 Seam strength		7 - 2
4.5 - Tear strength		
4.5 Tear strength		7 - 2
4.6- Restraint		
4.6.1 - General		7
4.6.2 Two-piece suit requirements for joint between the upper and the lower part		n.a
4.6.3 Garment sleeve restraint		7
4.7- Additional garment construction requirements		
4.7.2 - Structural closures		7
4.7.3 - Vents		n.a
4.7.4 - Pockets		7
4.7.5 - Zone intrusions		n.a
4.7.7 - Use of open mesh materials		n.a
4.7.8 - Use of retroreflective materials (optional)	Performance of the retroreflective materials shall be in conformity with Clause 6 of EN 1150:1999. This requirement does not apply to reflective elements included for reasons of design or decoration.	n.a
4.8 Fit and ergonomics		7


Impact Protection requirements	Standard	Location	Model	Brand	Type	Test report	
						Laboratory	Test report number
Suits / Jackets	EN 1621-1:2012	Elbow	LITE PRO FB-517	FLYING BATS	TYPE B - Level 2 - PVC	RICOTEST	912211502/OE
	EN 1621-1:2012	Shoulder	FB-516-2	FLYING BATS	TYPE A - Level 2 - PVC	Ricotest	912222801/OE
	EN 1621-2:2014 or EN 1621-4:2013	Back	SW-253-A	SMOOTHWAYS	Type A - Level 1 - PU	SATRA	2777/13542-01/E00-00

MARKING - PACKAGING

Marking of the garment:

Logo of Manufacturer
Address of Manufacturer
Logo **CE**
Product reference: CRAFTSMAN JACKET
Article Code: BLACK-00105CRABLK / CAMEL-00105CRACAR
Size indicator
Pictograms
Indication of the protection Class AA
Date of Manufacture (month/year) and/or serial/batch number
Date of obsolescence (month/year) if applicable
Location of the marking: INSIDE THE JACKET ON THE FIXED LINING

Garment marking example:



**CRAFTSMAN JACKET
BLACK 00105CRABLK**

Exterieur - Outside	Doublure - Lining
55% Coton - cotton	100% Satin
18% Nylon	
27% T400	

Age of Glory
75 rue Joseph Moulin
69290 Craponne France
ageofglorygarments.com

LOT: 2401A
MADE IN PAKISTAN

**CRAFTSMAN JACKET
CAMEL 00105CRACAR**

Exterieur - Outside	Doublure - Lining
55% Coton - cotton	100% Satin
18% Nylon	
27% T400	

Age of Glory
75 rue Joseph Moulin
69290 Craponne France
ageofglorygarments.com

LOT: 2401A
MADE IN PAKISTAN

Method of marking of the garment:

INSIDE LABELS


PPE subject to ageing :

Peremption period: 5 YEARS when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the garment shall be visually controlled. In case of deterioration the garment must be scrapped (abrasion, cut, tear, ...).

Cleaning instructions:

The garment is not washable

MEANS OF CONTROL



* Physical tests: fabric density and thickness tests according to EN ISO 15717-1:2011.
Chemical tests (pH - ISO 6545 / Chroma E - ISO 17193 / Azo - ISO 17246).
We proceed to these tests for each production process, once leather is sourced and before the cutting process.